

DANGER**PRECAUTIONARY STATEMENTS****Hazards to Humans and Domestic Animals.**

Corrosive. Causes irreversible eye damage. Do not get in eyes or clothing. Wear protective eyewear (goggles, face shield). Wash thoroughly with soap and water after handling. Remove contaminating clothing and wash clothing before reuse. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Harmful if inhaled. Avoid breathing spray mist.

USER SAFETY RECOMMENDATIONS

Users must wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use or store this product near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE - Store in a securely closed original container. Store in area that will prevent cross contamination of other pesticides, fertilizer, food, and feed. Avoid storage at temperature extremes or in sunlight.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill this container.

Offer for recycling, if available.

Clean container promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into applicable equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drop. Repeat this procedure two more times.

REV-0314

BARBICIDE plus

**TUBERCULOCIDAL • PSEUDOMONACIDAL
GERMICIDAL • FUNGICIDAL • VIRUCIDAL***
ACTIVE INGREDIENTS

Sodium ortho-benzyl-para-chlorophenate	4.40%
Sodium ortho-phenylphenate	2.82%
Sodium para-tertiary-amyphenate	2.49%
OTHER INGREDIENTS	90.29%
TOTAL	100.00%

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS**KEEP OUT OF REACH OF CHILDREN****DANGER****FIRST AID**

IF IN EYES: Hold eye open and rinse slowly and gently with plenty of water for 15-20 minutes. Removing contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. **IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Do not induce vomiting unless told by a Poison Control Center or doctor. Do not give any liquid to this person. Do not give anything by mouth to an unconscious person. **HOTLINE NUMBER:** Call the local Poison Control Center. Have the product container or label with you when seeking medical advice of treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed. Product Questions? Call 1-800-222-8160 during normal business hours (8am-5pmCST)

DIST. BY KING RESEARCH®**7025 W. MARCIA ROAD - MILWAUKEE, WI 53223****NET CONTENTS: 1 PINT (16 FL. OZ.) (473 ML)**

EPA Reg. No. 211-36-954

EPA Est. No. 051435-WI-004

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with labeling. BARBICIDE PLUS is acceptable for use on brushes, combs, rollers, tweezers, razors, clipper blades, manicure, pedicure and other salon tools commonly found in beauty salons, barber shops, and hair styling establishments. BARBICIDE PLUS is effective for immersion disinfection of inanimate, non-porous surfaces. Use at a use dilution of 1:128 (1/4 ounce per 32 ounces of water or 8 ml per liter).

DISINFECTION - Thoroughly clean and rinse instruments before immersion in disinfectant solution. Immerse instruments completely for 10 minutes at room temperature (20°/68°F). After immersion, remove instruments and rinse them thoroughly. Fresh solution must be prepared daily or more often if solution becomes visibly dirty.

CONFIRMATION - When tested with full immersion at room temperature for 10 minutes in a solution created as directed, BARBICIDE PLUS was confirmed effective against *Mycobacterium tuberculosis*, *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enterica*, and *Trichophyton mentagrophytes*. **VIRUCIDAL*** - BARBICIDE PLUS is effective against HIV-1 (AIDS virus) on hard nonporous, inanimate surfaces, as confirmed by the A.O.A.C. use-dilution test, in the presence of 5% organic soil load, at 20°C with an exposure time of 10 minutes. Kills Human Immunodeficiency Virus type 1 (HIV-1, AIDS VIRUS) on pre-cleaned environmental surfaces or objects previously soiled with blood or body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids, and in which the surfaces or objects are likely to be soiled with blood and body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus type 1 (HIV) (associated with AIDS). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS. PERSONAL PROTECTION:** Disposable gloves must be worn when cleaning blood or body fluids or contaminated items. Hands must be washed immediately and thoroughly after gloves are removed, or if hands are contaminated with blood or body fluids. Masks and protective eyewear or face shield must be worn during cleaning procedures for protection against splashes of blood or other body fluids. Gowns or aprons must be worn during cleaning procedures for protection against splashes of blood or other body fluids. **CLEANING PROCEDURE** - Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant. After cleaning is complete, follow disinfection directions described previously. **CONTACT TIME** - Leave surfaces wet for 10 minutes. Let air dry. **DISPOSAL OF INFECTIOUS MATERIALS** - Contaminated waste and blood and other body fluids must be autoclaved and disposed of according to local, state, or federal regulations for infectious waste disposal.

WARNING: This product contains a chemical known to the State of California to cause cancer